

## Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A

**Product Code:** [LAN-PP13/SHA-x.x-yy](#)

Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A



### Description

The power cord is intended to connect electrical equipment with IEC 60320 C14 inlet to AC mains up to 250V.

The cord is made of stranded PVC insulated 3 x 0.75 wire.

The cord is made of stranded PVC insulated 3 x 0.75 wire. Side A is DIN49441 connector molded from flame retardant PVC.

The connector on the opposite side (side B) is IEC 60320 C13 connector molded from flame retardant PVC.

|                    |                                                    |
|--------------------|----------------------------------------------------|
| Cable type         | 3x0.75 PVC                                         |
| Jacket material    | PVC (polyvinyl chloride)                           |
| Jacket color       | Black, white                                       |
| Cord length        | 0.5 m, 1 m, 1.5 m, 1.8 m, 2 m, 3 m, 5 m, 7 m, 10 m |
| Wire cross-section | 0,75 mm <sup>2</sup>                               |
| Wire type          | Stranded                                           |
| Maximum current    | 10 A                                               |
| Maximum voltage    | ~250 V                                             |
| Connector A        | DIN49441                                           |
| Connector B        | IEC 60320 C13                                      |

### Model range

|                     |                                                                   |
|---------------------|-------------------------------------------------------------------|
| LAN-PP13/SHA-1.0-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 1 meter |
|---------------------|-------------------------------------------------------------------|

|                     |                                                                      |
|---------------------|----------------------------------------------------------------------|
| LAN-PP13/SHA-1.0-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 1 meter    |
| LAN-PP13/SHA-0.5-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 0,5 meters |
| LAN-PP13/SHA-1.5-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 1.5 meters |
| LAN-PP13/SHA-1.8-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 1.8 meters |
| LAN-PP13/SHA-2.0-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 2.0 meters |
| LAN-PP13/SHA-3.0-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 3.0 meters |
| LAN-PP13/SHA-5.0-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 5.0 meters |
| LAN-PP13/SHA-7.0-BK | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 7.0 meters |
| LAN-PP13/SHA-10-BK  | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, black, 10 meters  |
| LAN-PP13/SHA-1.8-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 1.8 meters  |
| LAN-PP13/SHA-0.5-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 0,5 meters  |
| LAN-PP13/SHA-0.5-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 0,5 meters   |
| LAN-PP13/SHA-0.5-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 0,5 meters |
| LAN-PP13/SHA-1.0-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 1 meter     |
| LAN-PP13/SHA-1.0-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 1 meter      |
| LAN-PP13/SHA-1.5-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 1.5 meters  |
| LAN-PP13/SHA-1.5-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 1.5 meters   |
| LAN-PP13/SHA-1.5-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 1.5 meters |
| LAN-PP13/SHA-1.8-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 1.8 meters   |
| LAN-PP13/SHA-1.8-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 1.8 meters |
| LAN-PP13/SHA-10-BL  | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 10 meters   |
| LAN-PP13/SHA-10-RD  | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 10 meters    |
| LAN-PP13/SHA-10-WH  | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 10 meters  |
| LAN-PP13/SHA-2.0-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 2.0 meters  |

|                     |                                                                      |
|---------------------|----------------------------------------------------------------------|
| LAN-PP13/SHA-2.0-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 2.0 meters   |
| LAN-PP13/SHA-2.0-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 2.0 meters |
| LAN-PP13/SHA-3.0-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 3.0 meters  |
| LAN-PP13/SHA-3.0-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 3.0 meters   |
| LAN-PP13/SHA-3.0-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 3.0 meters |
| LAN-PP13/SHA-5.0-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 5.0 meters  |
| LAN-PP13/SHA-5.0-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 5.0 meters   |
| LAN-PP13/SHA-5.0-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 5.0 meters |
| LAN-PP13/SHA-7.0-BL | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, blue, 7.0 meters  |
| LAN-PP13/SHA-7.0-RD | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, red, 7.0 meters   |
| LAN-PP13/SHA-7.0-WH | Power cord, C13-Schuko, angled, 3x0.75, 220V, 10A, white, 7.0 meters |

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.