

## "PRO" series 19" wall enclosure with glass door (2017 model)



**Product Code:** [TWT-CBWPM-xxU-yyy-GY](#)

"PRO" series 19" wall enclosure with glass door (2017 model)

### Description

The "PRO" series wall enclosure is used to accommodate 19" network and telecommunication equipment. Enclosures of the 2017 model range are available in three depths: 450, 600 and 800 mm.

Installation of equipment is possible on two or four posts, cantilever shelves and 4-post shelves. Mounting rails can be installed at different depths.

The front door has tinted glass and a lock, if necessary, the door can be hanged to the other side.

The side panels are removable, fixed with plastic latches. It is possible to install TWT-CB-LOCK locks (supplied separately) on the side panels of the enclosure.

Two TWT-CBW-FAN1-BB fans (supplied separately) can be installed on the roof of the enclosure, the cabinet has a cable entry hole closed with a cover in the top and bottom panels. If necessary, TWT-CBW-BP brush entries (supplied separately) can be mounted in the cable entry holes.

The enclosure is supplied unassembled. Delivery set consists of 2 packs.

Color is gray (RAL 7044, 7039).

Ingress protection is IP20.

Powder coating painting.

Cabinets comply with ANSI/EIA RS-310-D, IEC297-2, DIN41494-1, DIN41494-7 international standards.

| Product code         | Description                                                     | Capacity, RMU | Dimensions, mm (DxWxH) | Usable depth, mm | Weight, kg | Max. load, kg |
|----------------------|-----------------------------------------------------------------|---------------|------------------------|------------------|------------|---------------|
| TWT-CBWPM-4U-6x4-GY  | "Pro" series 3-section wall enclosure, 4U, 600x450, metal door  | 4             | 600*450*279            | 350              | 18,8       | 60            |
| TWT-CBWPM-6U-6x4-GY  | "Pro" series 3-section wall enclosure, 6U, 600x450, metal door  | 6             | 600*450*368            | 350              | 17,5       | 60            |
| TWT-CBWPM-6U-6x6-GY  | "Pro" series 3-section wall enclosure, 6U, 600x600, metal door  | 6             | 600*600*368            | 500              | 21         | 60            |
| TWT-CBWPM-6U-6x8-GY  | "Pro" series 3-section wall enclosure, 6U, 600x800, metal door  | 6             | 600*800*368            | 700              | 23         | 60            |
| TWT-CBWPM-9U-6x4-GY  | "Pro" series 3-section wall enclosure, 9U, 600x450, metal door  | 9             | 600*450*502            | 350              | 25         | 60            |
| TWT-CBWPM-9U-6x6-GY  | "Pro" series 3-section wall enclosure, 9U, 600x600, metal door  | 9             | 600*600*502            | 500              | 25,4       | 60            |
| TWT-CBWPM-9U-6x8-GY  | "Pro" series 3-section wall enclosure, 9U, 600x800, metal door  | 9             | 600*800*502            | 700              | 25,8       | 60            |
| TWT-CBWPM-12U-6x6-GY | "Pro" series 3-section wall enclosure, 12U, 600x600, metal door | 12            | 600*600*635            | 500              | 29         | 60            |
| TWT-CBWPM-12U-6x8-GY | "Pro" series 3-section wall enclosure, 12U, 600x800, metal door | 12            | 600*800*635            | 700              | 33,4       | 60            |
| TWT-CBWPM-15U-6x6-GY | "Pro" series 3-section wall enclosure, 15U, 600x600, metal door | 15            | 600*600*768            | 500              | 33         | 60            |
| TWT-CBWPM-15U-6x8-GY | "Pro" series 3-section wall enclosure, 15U, 600x800, metal door | 15            | 600*800*768            | 700              | 40         | 60            |
| TWT-CBWPM-18U-6x6-GY | "Pro" series 3-section wall enclosure, 18U, 600x600, metal door | 18            | 600*600*902            | 500              | 35         | 60            |
| TWT-CBWPM-18U-6x8-GY | "Pro" series 3-section wall enclosure, 18U, 600x800, metal door | 18            | 600*800*902            | 700              | 45         | 60            |
| TWT-CBWPM-22U-6x6-GY | "Pro" series 3-section wall enclosure, 22U, 600x600, metal door | 22            | 600*600*1079           | 500              | 44,7       | 60            |
| TWT-CBWPM-22U-6x8-GY | "Pro" series 3-section wall enclosure, 22U, 600x800, metal door | 22            | 600*800*1079           | 700              | 50         | 60            |
| TWT-CBWPM-27U-6x4-GY | "Pro" series 3-section wall enclosure, 27U, 600x450, metal door | 27            | 600*450*1302           | 350              | 49         | 60            |
| TWT-CBWPM-27U-6x6-GY | "Pro" series 3-section wall enclosure, 27U, 600x600, metal door | 27            | 600*600*1302           | 500              | 47         | 60            |
| TWT-CBWPM-27U-6x8-GY | "Pro" series 3-section wall enclosure, 27U, 600x800, metal door | 27            | 600*800*1302           | 700              | 56         | 60            |

## Model range

|                      |                                                                 |
|----------------------|-----------------------------------------------------------------|
| TWT-CBWPM-6U-6x4-GY  | “Pro” series 3-section wall enclosure, 6U, 600x450, metal door  |
| TWT-CBWPM-6U-6x8-GY  | “Pro” series 3-section wall enclosure, 6U, 600x800, metal door  |
| TWT-CBWPM-9U-6x8-GY  | “Pro” series 3-section wall enclosure, 9U, 600x800, metal door  |
| TWT-CBWPM-12U-6x6-GY | “Pro” series 3-section wall enclosure, 12U, 600x600, metal door |
| TWT-CBWPM-12U-6x8-GY | “Pro” series 3-section wall enclosure, 12U, 600x800, metal door |
| TWT-CBWPM-15U-6x8-GY | “Pro” series 3-section wall enclosure, 15U, 600x800, metal door |
| TWT-CBWPM-18U-6x8-GY | “Pro” series 3-section wall enclosure, 18U, 600x800, metal door |
| TWT-CBWPM-22U-6x4-GY | “Pro” series 3-section wall enclosure, 22U, 600x450, metal door |
| TWT-CBWPM-22U-6x6-GY | “Pro” series 3-section wall enclosure, 22U, 600x600, metal door |
| TWT-CBWPM-22U-6x8-GY | “Pro” series 3-section wall enclosure, 22U, 600x800, metal door |
| TWT-CBWPM-27U-6x4-GY | “Pro” series 3-section wall enclosure, 27U, 600x450, metal door |
| TWT-CBWPM-27U-6x8-GY | “Pro” series 3-section wall enclosure, 27U, 600x800, metal door |
| TWT-CBWPM-4U-6x4-GY  | “Pro” series 3-section wall enclosure, 4U, 600x450, metal door  |

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.