

TELCO patch panel, 19", 1U, 24 RJ-45 port, pins 1-2, 3-6

Product Code: [TWT-PP24TLC-1236](#)

TELCO patch panel, 19", 1U, 24 RJ-45 port, pins 1-2, 3-6




Description

19" unshielded patch panel has 24 RJ-45 ports and two Telco connector (50 pins, female). The panel is designed for quick and easy wiring of active equipment ports for 10/100-BaseT protocol.

Allows direct connection to active network equipment equipped with Telco connectors. Each RJ-45 port has 2 pairs of Telco trunk on pins 1-2 and 3-6.

There are 2 Velcro ties on the back of the panel to secure the cable. The panel has a grounding conductor.



The panel ports are numbered on the front side.

Provided areas for additional port labeling.

Patch panel wiring diagram

TELCO 1		
Pin	Pin	Panel port
number on	number on	number
TELCO	RJ-45	
connector	connector	
26	1	1
1	2	
27	3	
2	6	
28	1	2
3	2	
29	3	
4	6	
30	1	3
5	2	
31	3	
6	6	
32	1	4
7	2	
33	3	
8	6	
34	1	5
9	2	
35	3	
10	6	
36	1	6
11	2	
37	3	
12	6	
38	1	7
13	2	
39	3	
14	6	
40	1	8
15	2	
41	3	
16	6	
42	1	9
17	2	
43	3	
18	6	
44	1	10
19	2	
45	3	
20	6	
46	1	11
21	2	
47	3	
22	6	
48	1	12
23	2	
49	3	
24	6	
50		
25		

TELCO 2		
Pin	Pin	Panel port
number on	number on	number
TELCO	RJ-45	
connector	connector	
26	1	13
1	2	
27	3	
2	6	
28	1	14
3	2	
29	3	
4	6	
30	1	15
5	2	
31	3	
6	6	
32	1	16
7	2	
33	3	
8	6	
34	1	17
9	2	
35	3	
10	6	
36	1	18
11	2	
37	3	
12	6	
38	1	19
13	2	
39	3	
14	6	
40	1	20
15	2	
41	3	
16	6	
42	1	21
17	2	
43	3	
18	6	
44	1	22
19	2	
45	3	
20	6	
46	1	23
21	2	
47	3	
22	6	
48	1	24
23	2	
49	3	
24	6	
50		
25		

Model range

TWT-PP24TLC-1236	TELCO patch panel, 19", 1U, 24 RJ-45 port, pins 1-2, 3-6
------------------	--

Product descriptions are listed according to the available information at the time of publication. Product specifications can be changed without advanced notification. More detailed and exact information can be obtained from the official partners and distributors of LANMASTER.